




# 2020 PRODUCT CATALOG

LWRC  
INTERNATIONAL  
SMG-45



SMG0031  
MULTI-CAL

SMG-45 .45 ACP  
MADE IN THE U.S.A.

CAMBRIDGE, MD  
U.S.A.







# ENGINEERED TO EXCEED



From the range to the battlefield, our relentless pursuit of high-quality firearms delivers impeccable design, absolute reliability, consistent accuracy, and extreme durability to the warfighter, law enforcement officer, and civilian shooter. Designed, machined, and assembled entirely in the USA, our firearms don't just meet the requirements and expectations of our end users, they blow them away.

We make quality a reality at LWRCI™. The second you pick up and shoulder one of our firearms, you'll feel the difference – form, fit and function, built just for you.





# THE NEXT LEVEL

**If you want something done right, you have to do it yourself.** The barrel is the core that we build our rifles around. LWRCI™ manufactures its own cold hammer-forged barrels out of 41V45 alloy steel. The cold hammer-forging process uses high-pressure rotary hammers to compact a gun-drilled blank over a mandrel. This process forms rifling devoid of tool marks and results in a completed product that is stronger and denser than any other process. LWRCI™ barrels stand up better than standard barrels to extreme use, meaning the shooter sees a lower loss in accuracy and velocity as the round count increases. All surfaces are nitrocarburized after forging and profiling, making our barrel surfaces more lubricious, harder wearing, and more heat and corrosion resistant than traditional hard chrome.







# SMG 45

PISTOL CALIBER CARBINE SERIES

## PISTOL CALIBER PERFECTION



### SMG 45

SEE PG. 52 FOR COMPLETE SPECS

CALIBER	.45 ACP	WIDTH	2.4-3.6" folded
WEIGHT	5.9lbs	RIFLING	1:16 RH   6 GROOVES
LENGTH	15.25-28"	MUZZLE THREADS	.578-28 RH
MAGAZINE	US MANUFACTURED UMP MAGAZINES		
OPERATING SYSTEM	SHORT RECOIL/DELAYED BLOW BACK		

- FEATURES:**
- Reversible non-reciprocating folding charging handle
  - Fully Ambidextrous Lower Controls
  - LWRCI™ Advanced Fire Control Group
  - LWRCI™ Ultra Combat Grip
  - Magpul® MBUS Pro Sights
  - LWRCI™ Rail Panels + Hand Stop



ULTRA COMPACT  
SMG PISTOL FOLDS  
TO A MERE 15.25"

## SMG 45 SPECIFICATIONS

- Short Recoil/Delayed Blowback operating system
- 8.5" Cold Hammer- Forged Chromoly Steel Barrel
- User-configurable rail system - options include Picatinny segments, sling adapters, polymer rail panels, offset mount
- LWRCI™ Rail panels at 3, 6, and 9 with a hand stop on the 6 o'clock rail
- US-manufactured UMP magazines; ships with two 25-round mags (lower cap magazines available for different jurisdictions)
- SB Tactical Folding Subgun Brace with LWRCI™ Adapter
- New & Improved LWRCI™ Advanced Fire Control Group
- Aluminum and steel construction
- Premium Hardcoat anodized nitride nickel boron surface treatments throughout
- LWRCI™ Ultra Combat Grip
- Magpul® MBUS Pro sights
- Shoots suppressed using a booster/Neilson device
- Reversible, nonreciprocating, folding charging handle
- Fully Ambidextrous lower controls: AR Selector, bolt catch, grip and hammer/trigger
- Paddle Style Mag release for easy load and mag change







# LEGACY BECOMES LEGENDARY

5.56 NATO

IC-A2  
IC-ENHANCED  
IC-A5  
IC-A5 PISTOL  
IC-SPR  
IC-PSD  
IC-PSD PISTOL  
IC-PDW



Directly descended from the rifles developed by LWRCI™ to meet the requirements of the U.S. Army's Individual Carbine Program, the IC line is built for optimal performance. Designed with revolutionary new features while maintaining the basic M4/M16 architecture that has served our armed forces well for the past 40 years, LWRCI's flagship IC line delivers best-in-class design, outstanding ergonomics, and flawless functionality. LWRCI IC Government models are used in over 60 Countries by LE, Military, Government, and foreign allies. Our standard "G" Models come in a variety of barrel lengths, finishes and control options.



2020 RIFLES

410.901.1348 | [LWRCI.COM](http://LWRCI.COM)





## IC-A5

SEE PG. 52 FOR COMPLETE SPECS

BARREL	10.5" <div>LE</div> <div>NFA</div>	12.7" <div>LE</div> <div>NFA</div>	14.7"	16.1"
	26.7cm	32.3cm	37.3cm	40.9cm
WEIGHT	6.5lbs <div>2.9kg</div>	6.8lbs <div>3.1kg</div>	7lbs <div>3.2kg</div>	7.3lbs <div>3.3kg</div>
LENGTH	26.5-29.8" <div>67.3-75.6cm</div>	28.7-32" <div>72.9-81.3cm</div>	30.7-34" <div>78-86.4cm</div>	32.1-35.4" <div>81.5-89.9cm</div>
CALIBER	5.56 NATO			

### FEATURES:

- LWRCI™ A5 2-Position Gas Block
- A2 Birdcage Flash Hider
- 9" rail on 10.5" and 12.7" lengths
- 12" scalloped rail on 14.7" and 16.1" lengths
- LWRCI™ QD Index Plate
- LWRCI™ Cold Hammer Forged Spiral Fluted Barrel


5.56 NATO

## IC SPECIFICATIONS

SEE PG. 52 FOR COMPLETE IC COMPARISON CHART

- Semi only and/or Full Auto on all Models
- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- All LWRCI™ forgings are coined: the material is struck twice in the die for precise dimensional accuracy and a superior surface finish
- LWRCI™ Skirmish Sights
- LWRCI™ Ambidextrous Charging Handle
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- LWRCI™ Enhanced Fire Control Group – Nickel-Teflon coated for a smooth, crisp trigger pull with positive reset
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Black Nitride treated LWRCI™ Spiral Fluted heavy-profile barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:7 twist stabilizes a wide range of bullet types
- Nickel-Boron coated bolt carrier for unparalleled wear resistance, corrosion resistance, and permanent lubricity
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- Magpul® MOE+ Grip or LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery.
- LWRCI™ Compact Stock
- Magpul® PMAG 5.56

### AVAILABLE COLORS







# IC-E

IC-ENHANCED



SEE PG. 52 FOR COMPLETE SPECS

BARREL	12.7"	14.7"	16.1"
	32.3cm	37.3cm	40.9cm
WEIGHT	6.8lbs	7lbs	7.3lbs
	3.1kg	3.2kg	3.3kg
LENGTH	28.7-32"	30.7-34"	32.1-35.4"
	72.9-81.3cm	78-86.4cm	81.5-89.9cm
CALIBER	5.56 NATO		

- FEATURES:**
- LWRCI™ 2-Position Gas Block (bayonet lug and 12 O'Clock Rail Section)
  - LWRCI™ High Efficiency Flash Hider
  - LWRCI™ QD Index Plate
  - LWRCI™ Short-Stroke Gas Piston
  - Full Ambidextrous Lower

# IC-SPR

SPECIAL PURPOSE RIFLE



SEE PG. 52 FOR COMPLETE SPECS

BARREL	14.7"	16.1"
	37.3cm	40.9cm
WEIGHT	7lbs	7.3lbs
	3.2kg	3.3kg
LENGTH	30.7-34"	32.1-35.4"
	78-86.4cm	81.5-89.9cm
CALIBER	5.56 NATO	

- FEATURES:**
- LWRCI™ One-Piece Gas Block
  - LWRCI™ High Efficiency Flash Hider
  - LWRCI™ QD Index Plate
  - LWRCI™ ALG Enhanced Fire Control Group
  - Magpul® 30/20/10 RD Magazines Options

# IC-A2



SEE PG. 52 FOR COMPLETE SPECS

BARREL	10.5"	12.7"	14.7"	16.1"
	26.7cm	32.3cm	37.3cm	40.9cm
WEIGHT	6.5lbs	6.8lbs	7lbs	7.3lbs
	2.9kg	3.1kg	3.2kg	3.3kg
LENGTH	26.5-29.8"	28.7-32"	30.7-34"	32.1-35.4"
	67.3-75.6cm	78-86.4cm	78-86.4cm	81.5-89.9cm
CALIBER	5.56 NATO			

- FEATURES:**
- LWRCI™ One-Piece Gas Block
  - A2 Birdcage Flash Hider
  - Quad Rails with LWRCI™ RailSkins
  - LWRCI™ QD Index Plate

# IC-A5

PREMIUM GREY



SEE PG. 52 FOR COMPLETE SPECS

BARREL	16.1"
	40.9cm
WEIGHT	7.3lbs
	3.3kg
LENGTH	32.1-35.4"
	81.5-89.9cm
CALIBER	5.56 NATO

- FEATURES:**
- LWRCI™ A5 2-Position Gas Block
  - 12" Scalloped Rail
  - LWRCI™ Skirmish BUIS
  - Monoformed One-Piece Upper
  - Full Ambidextrous Lower
  - LWRCI™ QD Index Plate

EXCLUSIVE PREMIER DEALER  
PREMIUM GREY CERKOTE



2020 RIFLES

IC Short Barrel Rifles are available to Law Enforcement and qualified customers who meet provisions of the National Firearms Act.





SUB COMPACTS | GAS PISTON PISTOLS  
FULL SIZE FEATURES – COMPACT PACKAGE

IC-PDW  
PERSONAL DEFENSE WEAPON

SEE PG. 52 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	5.9lbs	
	2.7kg	
LENGTH	20.9-25.7"	
	53.1-65.3cm	
CALIBER	5.56 NATO	

FEATURES:

- LWRCI™ One-Piece Gas Block
- LWRCI™ High Efficiency Flash Hider
- LWRCI™ PDW Adjustable Stock
- LWRCI™ Rail Panels + Hand Stop
- LWRCI™ QD Index Plate

IC-PDW WITH STOCK COLLAPSED

IC-PDW stock collapses to 20.9"

IC-PSD  
PERSONAL SECURITY DETAIL

SEE PG. 52 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	6.3lbs	
	2.8kg	
LENGTH	24.5-27.8"	
	62.2-70.6cm	
CALIBER	5.56 NATO	

FEATURES:

- LWRCI™ One-Piece Gas Block
- LWRCI™ High Efficiency Flash Hider
- LWRCI™ QD Index Plate
- LWRCI™ Compact Adjustable Stock

IC-PSD  
PISTOL  
PERSONAL SECURITY DETAIL

SEE PG. 52 FOR COMPLETE SPECS

BARREL	8.5"	
	21.6cm	
WEIGHT	5.9lbs	
	2.7kg	
LENGTH	21.25"	
	53.98cm	
CALIBER	5.56 NATO	

FEATURES:

- LWRCI™ One-Piece Gas Block
- LWRCI™ High Efficiency Flash Hider
- Mil-Spec Index Plate
- Pistol Buffer Tube w/QD End Cap

IC-A5  
PISTOL  
+SBA3  
BRACE

SEE PG. 52 FOR COMPLETE SPECS

BARREL	10.5"	
	26.7cm	
WEIGHT	6.3lbs	
	2.85kg	
LENGTH	21.25"	
	53.98cm	
CALIBER	5.56 NATO	

FEATURES:

- LWRCI™ 2 Position Gas Block
- LWRCI™ A2 Bird Cage Flash Hider
- Mil-Spec Index Plate
- LWRCI™ SB Tactical SBA3 Pistol Brace





# NO SACRIFICES EVER

**Unmatched quality from the inside out.** Through the application of modern materials science, creative engineering, and advanced manufacturing processes, LWRCI™ has taken the groundbreaking Stoner design and improved it with our self-regulating short-stroke piston system. We've evolved the IC into a rifle with greater reliability, increased longevity, and improved ergonomics than its predecessors.

Our patented piston system eliminates the venting of hot gases into the receiver and bolt carrier group, improving performance and eliminating the cleaning regime associated with direct impingement rifles. We're not new to the piston game; in fact, our piston system has been exceeding expectations in reliability and ease of maintenance for over a decade.







# DIRECT IMPINGEMENT DIRECTLY FROM THE BEST



**Di elevated, improved, and enhanced.** The LWRCI™ Di is made with the same craftsmanship and design excellence that comes with every LWRCI™ firearm. Built from the ground up to be more than just another direct impingement rifle, the LWRCI™ Di delivers the quality every rifle enthusiast demands with innovation that's expected from LWRCI™. Our innovative "keyless" bolt carrier design, combined with an operating system that is time-tested, makes the Di the perfect addition to the LWRCI™ lineup. And, since the ambi lower receiver is compatible with the rest of our IC family, you can upgrade your Di to our flagship, piston-driven IC just by switching out the upper.

5.56 NATO

.223 WYLDE

300 BLK

.224 VALKYRIE

IC-DI  
IC-DI MLOK  
IC-DI COMPETITION  
IC-DI TARGET/VARMINT  
IC-DI 300BLK  
IC-DI 300BLK MLOK  
IC-DI PISTOL  
IC-DI PISTOL + BRACE





# IC-DI DIRECT IMPINGEMENT



## IC-DI

SEE PG. 54 FOR COMPLETE SPECS      SHOWN IN TUNGSTEN GREY CERAKOTE FINISH


BARREL	16" 40.9cm
WEIGHT	6.7 lbs 2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO/300 BLACK

## IC-DI SPECIFICATIONS

SEE PG. 54 FOR COMPLETE IC-DI COMPARISON CHART

- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- LWRCI™ Modular, One-Piece, Free-Float Rail
- LWRCI™ Rail Panels and Hand Stop
- LWRCI™ Angled Ergonomic Fore Grip w/ QD sling point
- NiCorr-treated LWRCI™ DI Gas Block and Gas Tube
- Black Nitride treated LWRCI™ heavy-profile Spiral Fluted barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:7 twist stabilizes a wide range of bullet types
- A2 Flash Hider
- Magpul® MOE+ Grip or LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- Mil-Spec, 6-Position Buffer Tube
- H2 Buffer and Mil-Spec Buffer Spring
- LWRCI™ Compact Stock w/ QD sling
- LWRCI™ Ambidextrous Charging Handle
- LWRCI™ QD Index Plate
- Law Enforcement Models include LWRCI™ Skirmish™ BUIS
- Magpul® PMAG 5.56

### AVAILABLE COLORS







# IC-DI

SEE PG. 54 FOR COMPLETE SPECS

BARREL	14.7"	LE	16"
	37.3cm	NFA	40.9cm
WEIGHT	6.4 lbs		6.7 lbs
	2.9kg		3.3kg
LENGTH	30.7-34.0"		32.1-35.4"
CALIBER	5.56 NATO		

FEATURES:

- LWRCI™ Proprietary DI System
- Cold Hammer Forged Spiral Fluted Barrel
- LWRCI™ Enhanced Fire Control Group
- LWRCI™ Compact Stock
- LWRCI™ RailSkins Angled Hand Brace and Hand Stop



# MLOK

SEE PG. 54 FOR COMPLETE SPECS

BARREL	14.7"	LE	16.1"
	37.3cm	NFA	40.9cm
WEIGHT	6.4 lbs		6.7 lbs
	2.9kg		3.3kg
LENGTH	30.7-34.0"		32.1-35.4"
CALIBER	5.56 NATO		

FEATURES:

- LWRCI™ Proprietary DI System with Keyless Belt Carrier Design
- Cold Hammer Forged Spiral Fluted Barrel
- MLOK Rail Panel for customization of accessories for the shooter
- LWRCI™ Compact Adjustable Stock

NOTE: MLOK models do not ship with LWRCI™ Rail Panels. They are not compatible with MLOK design.



# 224 VALKYRIE™

SEE PG. 54 FOR COMPLETE SPECS

BARREL	20.1"
	51.05cm
WEIGHT	8.5 lbs
	3.69kg
LENGTH	40"
	101.6cm
CALIBER	224 VALKYRIE

FEATURES:

- LWRCI™ MLXS 16" M-LOK Free-Float Handguards
- LWRCI™ MonoForge™ Upper Receiver
- LWRCI™ Enhanced Fire Control Group
- NiCorr-treated LWRCI™ DI Gas Block and Rifle+1-Length Gas System
- LWRCI™ 20.1" Cold-Hammer-Forged, NiCorr-treated Barrel
- LWRCI™ Ultra Brake™ 4-Port Enhanced Muzzle Brake
- LWRCI™ Ultra Combat Grip with sight tool/ battery storage
- Magpul® MOE Rifle Stock



# 300 BLK

SEE PG. 54 FOR COMPLETE SPECS

BARREL	16.1"
	40.9cm
WEIGHT	6.6 lbs
	2.9kg
LENGTH	32-35.25"
	81.3-89.5cm
CALIBER	300 BLACK

FEATURES:

- LWRCI™ NiCorr-treated keyless DI gas block DI system
- Cold Hammer Forged Smooth Heavy Barrel
- LWRCI™ Compact Stock
- LWRCI™ RailSkins Angled Hand Brace + Stop







HIGH-PERFORMANCE PISTOLS

IC-DI  
PISTOL

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5" 26.67cm
WEIGHT	5.9 lbs 2.7kg
LENGTH	26.4" 67.056cm
CALIBER	5.56 NATO



IC-DI  
PISTOL  
+ SBA3  
BRACE

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5" 26.67cm
WEIGHT	5.9 lbs 2.7kg
LENGTH	26.4" 53.98cm
CALIBER	5.56 NATO



M  
M-LOK  
PISTOL

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5" 26.67cm
WEIGHT	5.9 lbs 2.7kg
LENGTH	26.4" 67.056cm
CALIBER	5.56 NATO



IC-DI  
PISTOL  
+ SBA3  
BRACE

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5" 26.67cm
WEIGHT	5.9 lbs 2.7kg
LENGTH	26.4" 53.98cm
CALIBER	5.56 NATO







*The Well Armed Woman*  
Where The Feminine and Firearms Meet  
**LADY DIADEM**

SEE PG. 54 FOR COMPLETE SPECS

**BARREL** 16.1"  
40.9cm  
**WEIGHT** 6.5 lbs  
2.9kg  
**LENGTH** 32-25.4"  
81.3-89.5cm  
**CALIBER** 5.56 NATO

**FEATURES:**

- Custom ultra-slim, compact rail designed for women shooters
- Ergo Classic Slim Grip
- LWRCI™ Skirmish BUIS
- Magpul® CTR Stock w/QD Sling Mounts and Enhanced Padded Buttpad
- LWRCI™ Enhanced Fire Control Group w/ 6lb. TWAW Purple Cerekote Trigger
- LWRCI™ Angeled Ergonomic Foregrip w/ QD Sling Mounting Points and RailPanels/Hand Stop



**COMPETITION**

SEE PG. 54 FOR COMPLETE SPECS

**BARREL** 16.1"  
40.64cm  
**WEIGHT** 7.0 lbs  
3.17kg  
**LENGTH** 36"  
91.44cm  
**CALIBER** 5.56 NATO

**FEATURES:**

- LWRCI™ MLXS 14" M-LOK Free-Float Handguards w/ partial Picatinny (top)
- Timney 6675 Competition Straight Trigger (\$238 Value)
- LWRCI™ Ultra Brake™ 4-Port Enhanced Muzzle Brake for faster follow-up shots
- Magpul® MOE Rifle Stock delivers positive cheek weld, increased rigidity
- Fully Ambidextrous Lower Controls: Mag Release, Bolt Catch & Release, and Safety Selector
- Short-Throw Selector

COMPETITION READY  
OUT-OF-THE-BOX



**TARGET  
/VARMINT**

**.223 WYLDE** SEE PG. 54 FOR COMPLETE SPECS

**BARREL** 18.1"  
45.97cm  
**WEIGHT** 7.75 lbs  
3.51kg  
**LENGTH** 38"  
96.52cm  
**CALIBER** 223 WYLDE

**FEATURES:**

- LWRCI™ MLXS Extended 14" M-LOK Free-Float Handguards
- Geissele® SSA-E 2-Stage Trigger
- LWRCI™ Ultra Brake™ 4-Port Enhanced Muzzle Brake
- Magpul® MOE Fixed Rifle Stock
- Fully Ambidextrous Lower Controls: Mag Release, Bolt Catch & Release, and Safety Selector

LONG RANGE ACCURACY  
VARMINT HUNTER





# SPECIAL EDITIONS

Sports South<sup>LLC</sup>

## FLAT DARK EARTH

BARREL	16"
	40.9cm
WEIGHT	6.7 lbs
	2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



MGE  
Wholesale

## COYOTE TAN

BARREL	16"
	40.9cm
WEIGHT	6.7 lbs
	2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



## FLAT DARK RED

5.56 OR 300 BLK

BARREL	16"
	40.9cm
WEIGHT	6.7 lbs
	2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



## TACTICAL GREY

BARREL	16"
	40.9cm
WEIGHT	6.7 lbs
	2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



## BURNT BRONZE

BARREL	16"
	40.9cm
WEIGHT	6.7 lbs
	2.9kg
LENGTH	32.1-35.4"
CALIBER	5.56 NATO



M  
M-LOK  
AND PISTOL  
MODELS  
AVAILABLE

## PREMIUM GRAY IC DI PISTOL + SBA3 BRACE

BARREL	10.5"
	26.67cm
WEIGHT	5.9 lbs
	2.7kg
LENGTH	26.4"
	53.98cm
CALIBER	5.56 NATO



2020 RIFLES



# STEP UP YOUR GAME



The 6.8X43MM SPC II cartridge was developed as part of the Enhanced Rifle Cartridge Program to address the deficiencies in terminal performance seen with the 5.56x45mm NATO cartridge while allowing the soldier to carry the same number of rounds with a minimal weight penalty. By using a heavier projectile, the 6.8 round offers more impact energy than the 5.56 NATO round across all effective ranges, effectively bridging the gap in lethality between 5.56 NATO and 7.62 NATO.

A major drawback of using the 6.8 cartridge in an M4 style weapon has been the lack of reliable magazines. To solve this issue, we designed our Six8 family of weapons around the magazine. Through a partnership with Magpul®, the leader in polymer magazine engineering, we designed the first polymer 6.8 magazine. The Six8 PMAG features many of the same design characteristics of the standard PMAG, including the curved shape and familiar texture. The body is slightly wider, and the walls were strengthened in critical areas. Our red follower makes the Six8 magazine easy to pick out of a pile.

The upper and lower receivers are designed to accommodate the slightly larger polymer magazine and to perfect the feed geometry for the 6.8 cartridge. As with the IC family, the weapons in the Six8™ family are fully ambidextrous. Our Six8™ rifles are, put simply, the familiar Stoner M4/AR-15/M16 architecture fully optimized for the 6.8 cartridge.







6.8 SPC II

SIX8-A5  
SIX8-SPR  
SIX8-UCIW  
SIX8-PDW  
SIX8-PSD

# SIX8-A5

SEE PG. 56 FOR COMPLETE SPECS

BARREL	10.5" 26.7cm	LE NFA	12.7" 32.3cm	LE NFA	14.7" 37.3cm	16.1" 40.9cm
WEIGHT	6.5lbs 2.9kg		6.8lbs 3.1kg		7lbs 3.2kg	7.3lbs 3.3kg
LENGTH	26.5-29.8" 67.3-75.6cm		28.7-32" 72.9-81.3cm		30.7-34" 78-86.4cm	32.1-35.4" 81.5-89.9cm

- FEATURES:**
- LWRCI™ A5 2-Position Gas Block
  - A2 Birdcage Flash Hider
  - 9" rail on 10.5" and 12.7" lengths
  - 12" scalloped rail on 14.7" and 16.1" lengths
  - LWRCI™ QD Index Plate

# SIX8 SPECIFICATIONS

SEE PG. 56 FOR COMPLETE SIX8 COMPARISON CHART

- Semi only and/or Full Auto on all Models
- Proprietary upper and lower receiver optimized for 6.8 SPC cartridge
- All LWRCI™ forgings are coined: the material is struck twice in the die for precise dimensional accuracy and a superior surface finish
- Black Nitride treated LWRCI™ heavy-profile barrel is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:10 twist stabilizes a wide range of bullet types
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- LWRCI™ Enhanced Fire Control Group – Nickel-Teflon coated for a smooth, crisp trigger pull with positive reset
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- LWRCI™ Ambidextrous Charging Handle
- LWRCI™ Skirmish Sights
- LWRCI™ Compact Stock with integrated quick-detach points
- Advanced Combat Bolt in 6.8. The ACB features a fully supported bolt face, dual extractor springs, the ‘Claw’ extractor that provides 20% mode purchase on the case rim for positive extraction every time, a bolt face groove to collect dirt and brass shaving, and a Nickel-Boron coating for wear resistance and permanent lubricity
- Designed specifically for the 6.8 round, the enlarged ejection port on all SIX8 models allow unhindered ejection of 6.8 casings
- Nickel-Boron coated bolt carrier for unparalleled wear resistance, corrosion resistance, and permanent lubricity
- Magpul®MOE+ Grip or LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery

## AVAILABLE COLORS








# SPR

SPECIAL PURPOSE RIFLE

SEE PG. 56 FOR COMPLETE SPECS

BARREL	14.7"	16"
	37.3cm	40.9cm
WEIGHT	6.95 lbs	7.25 lbs
	3.22kg	3.29kg
LENGTH	30.53 - 33.13"	31.93-34.53"
	77.54-84.15cm	81.1-87.7cm
CALIBER	6.8 SPC II	



# RAZORBACK

BURNT BRONZE

SEE PG. 56 FOR COMPLETE SPECS

BARREL	16"
	40.9cm
WEIGHT	7.3 lbs
	3.31kg
LENGTH	31.93-34.53"
	81.1-87.7cm
CALIBER	6.8 SPC II



Includes:  
Burnt Bronze Cerakote  
Razorback Magwell Engraving  
2 Position Gas Block  
12" Scallop Cut Rail

# UCIW

ULTRA COMPACT  
INDIVIDUAL WEAPON

SEE PG. 56 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	63 lbs	
	2.8kg	
LENGTH	24.5-27.8"	
CALIBER	6.8 SPC II	



# PSD

PERSONAL SECURITY DETAIL

SEE PG. 56 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	6.25 lbs	
	2.9kg	
LENGTH	27.33-29.93"	
	68.42-76.02cm	
CALIBER	6.8 SPC II	



# PSD

PERSONAL SECURITY DETAIL

SEE PG. 56 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	6.3 lbs	
	2.86kg	
LENGTH	24.41"	
	62cm	
CALIBER	6.8 SPC II	



# PDW


PERSONAL DEFENSE WEAPON

SEE PG. 56 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	5.9 lbs	
	2.6kg	
LENGTH	20.5-25.5"	
	52.07-64.77cm	
CALIBER	6.8 SPC II	








# STEP UP TO PERFECTION

**Some call us perfectionists – we take that as a compliment.**

There's no room for imperfection when building the most advanced and reliable rifles and carbines on the market. At LWRCI™, we are constantly combining the newest technologies with operator expectations to bring our military, law enforcement, and civilian shooters the most durable and reliable firearms possible.

LWRCI™ quality starts and ends with the perfectionist mindset - from design and machining to assembly and shipping, our people are skilled and our methods are meticulous. All of our rifles are made in America on Maryland's Eastern Shore, and we are all proud to offer our users the finest rifles in the world.





# POWER AND PRECISION



7.62 NATO

6.5 CREEDMOOR

REPR MKII Rapid Engagement Precision Rifle is a full-spectrum weapon system designed to deliver ultimate power and precision for a variety of real-world shooting applications. Our REPR MKII platform was developed to meet the requirements of the US Army's CSASS solicitation calling for a more Compact Semi Auto Sniper System.

The REPR MKII answered the call with significant improvements in dependability, accuracy and aesthetics that made the original REPR model a major success. The heart and soul of the REPR MKII is our proprietary short stroke gas piston operating system with 20 position gas block allowing precise tuning to match exact shooting conditions, suppressed or ammunition choice. Chambered for 7.62 NATO or 6.5 Creedmoor with either LWRCI™ non reciprocating side charge or ambidextrous rear charge configurations.

Our 7.62 REPR MKII models are available in 12.7", 16.1" and 20" barrel lengths and new barrel options- Proof Research Stainless Steel or Carbon Fiber on our Elite series. Ready to rock out of the box- the MKII comes fully loaded with custom rifle features like a Geissele® SSA-E trigger, Magpul® UBR or PRS Stock, LWRCI™ Skirmish BUIS, Ultra Static Brake 4 Port Enhanced Muzzle, and legendary LWRCI™ design details - fully ambidextrous lower receiver, monoforge upper receiver and Nickel-Boron coated bolt carrier.

The REPR MKII 6.5 Creedmoor is built with a Proof Research 22" Stainless Steel or Carbon Fiber barrel on the Elite model.

POWER. PRECISION. PERFECTION. **REPR MKII DELIVERS.**





# REPR MKII 7.62 NATO

## RAPID ENGAGEMENT PRECISION RIFLE

7.62 NATO

REPR MKII 12.7  
REPR MKII 16.1  
REPR MKII 20

6.5 CREEDMOOR

REPR MKII 6.5 CREEDMOOR



## REPR MKII SC 20 ELITE

SEE PG. 56 FOR COMPLETE SPECS

### PROOF RESEARCH STAINLESS STEEL

**BARREL** 20"  
50.8cm

**WEIGHT** 10.75 lbs  
4.87kg

**LENGTH** 40.5" – 41.5"  
102.87-105.41cm

**CALIBER** 7.62 NATO

### PROOF RESEARCH CARBON FIBER

**BARREL** 20"  
50.8cm

**WEIGHT** 9.2lbs  
4.17kg

**LENGTH** 40.5" – 41.5"  
102.87-105.41cm

### FEATURES:

20-Position Tunable Gas Block  
Magpul® PRS Stock  
LWRCI™ Skirmish BUIS  
LWRCI™ Ultra Combat Grip

CARBON FIBER WRAPPED, 1:8 RH TWIST PROOF RESEARCH MATCH-GRADE CARBON FIBER BARRELS ARE STRONGER, LIGHTER, AS ACCURATE AS THE FINEST PRECISION STEEL BARRELS AND WILL MAINTAIN THEIR PERFORMANCE IN THE HARSHTEST CONDITIONS. AVAILABLE ON 20", 16.1" AND 6.5 CREEDMOOR MODELS.

LWRCI™ ULTRA STATIC BRAKE™  
4-PORT ENHANCED MUZZLE BRAKE


SUB MOA  
ACCURACY CAPABLE

## REPR MKII SPECIFICATIONS

SEE PG. 56 FOR COMPLETE REPR MKII COMPARISON CHART

- Semi only and/or Full Auto on all Models
- LWRCI™ 20 Position Tunable Gas Block
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- Fully-ambidextrous lower receiver controls include the bolt catch and release, the magazine release, and the safety selector
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Geissele® SSA-E 2-Stage Precision Trigger
- LWRCI™ Skirmish™ Sights
- LWRCI™ Ultra Static Muzzle Brake
- Magpul® MOE+ Grip or LWRCI™ Ultra Combat Grip with secure storage for sight tool and CR123 battery
- Charge Options:  
LWRCI™ Non-Reciprocating Side Charge  
LWRCI™ Ambidextrous Rear Charge
- Barrel Options:  
**12.7" Model**  
LWRCI™ Ni-Corr Treated Cold Hammer Forged Smooth Barrel  
**16.1" Model**  
LWRCI™ Ni-Corr Treated Cold Hammer Forged Spiral Fluted Barrel  
Proof Research Carbon Fiber Barrel  
**16.1" Model**  
Proof Research Stainless Steel Barrel  
Proof Research Carbon Fiber Barrel
- Magpul® 20 Round 7.62 NATO PMAG

### AVAILABLE COLORS







# REPR MKII | RAPID ENGAGEMENT PRECISION RIFLE



## REPR MKII SC 16.1

SEE PG. 56 FOR COMPLETE SPECS

LWRCI™ SPIRAL FLUTED		PROOF RESEARCH CARBON FIBER	
BARREL	16.1" 40.9cm	16.1"	40.9cm
WEIGHT	8.75 lbs 3.97kg	7.5 lbs	3.4kg
LENGTH	37.5" – 41" 95.25-104.14cm	37.5" – 41"	95.25-104.14cm
CALIBER	7.62 NATO	7.62 NATO	

- FEATURES:**
- LWRCI™ 20 Position Tunable Gas Block
  - Barrel Options:** LWRCI™ Cold Hammer Forged, Spiral Fluted, or Proof Research Carbon Fiber barrel
  - Geissele® SSA-E 2-Stage Precision Trigger | Advanced Trigger Guard
  - Charging Handle Options: LWRCI™ Proprietary Non-Reciprocating Side Charge or Ambidextrous Rear Charge
  - LWRCI™ Skirmish™ Back Up Iron Sights
  - LWRCI Ultra Static Brake - 4 Port Enhanced Muzzle Brake
  - Magpul® MOE+® Grip | Magpul® PRS Gen3 Adjustable Stock
  - Sub-MOA Accuracy Capable

Shown with LWRCI™ Non-Reciprocating Side Charging Handle



## REPR MKII 12.7

SEE PG. 56 FOR COMPLETE SPECS

BARREL	12.7" 32.26cm
WEIGHT	8 lbs 3.63kg
LENGTH	34.1" – 38.6" 86.61-98.04cm
CALIBER	7.62 NATO

- FEATURES:**
- Patented Short-Stroke Gas Piston System with LWRCI™ 20-Position Tunable Gas Block
  - Monoforge™ upper receiver with integrated rail-base
  - 12.7" REPR MKII built with a Black Nitride treated LWRCI™ heavy-profile barrel that is precisely torqued in our factory to a consistent torque setting. Cold hammer forged 1:10 twist stabilizes a wide range of bullet types
  - Geissele® SSA-E two stage Precision Trigger | LWRCI™ Advanced Trigger Guard
  - LWRCI™ Skirmish™ Sights/Ultra Static Brake
  - Magpul® MOE+® Grip | Magpul® UBR Adjustable Stock
  - Sub-MOA Accuracy Capable



Non-Reciprocating Side Charge Option

Shown with LWRCI™ Ambidextrous Rear Charging Handle





# INNOVATIONS

HIGH PERFORMANCE ACCURACY NOW AVAILABLE IN 6.5 CREEDMOOR



## REPR MKII SC 6.5 CREEDMOOR ELITE

SEE PG. 56 FOR COMPLETE SPECS

**BARREL** 22"  
55.88cm

**WEIGHT** 10.5 lbs  
4.55kg

**LENGTH** 43.5"  
110.49cm

**FEATURES:**  
Magpul® PRS Stock  
Proof Research Carbon Fiber Barrel  
Available with Proof Research Stainless Steel Barrel  
20 Position Tunable Gas Block  
Non-Reciprocating Side Charging Handle

SIDE CHARGE



REAR CHARGE  
OPTION

PROOF IS IN THE BARREL. 6.5 CREEDMOOR MODELS ARE BUILT WITH EITHER A STAINLESS STEEL OR CARBON FIBER WRAPPED, 1:8 RH TWIST PROOF RESEARCH MATCH-GRADE CARBON FIBER BARREL, WHICH ARE STRONGER, LIGHTER, AS ACCURATE AS ANY OTHER PRECISION BARREL AND WILL MAINTAIN THEIR PERFORMANCE IN THE HARSHTEST CONDITIONS. AVAILABLE ON 20", 16.1" AND 6.5 CREEDMOOR MODELS.

LWRCI™ ULTRA STATIC BRAKE™  
4-PORT ENHANCED MUZZLE BRAKE


SUB MOA  
ACCURACY CAPABLE

## REPR MKII 6.5 CREEDMOOR SPECIFICATIONS

SEE PG. 56 FOR COMPLETE REPR MKII COMPARISON CHART

- Semi only and/or Full Auto on all Models
- LWRCI™ 20-Position Tunable Gas Block
- Patented LWRCI™ short-stroke gas piston system offers unparalleled reliability and easy maintenance
- Monoforge™ upper receiver with integrated rail-base is stronger than the standard-pattern upper
- Easy access removable Top Rail Design
- Removeable barrel
- Fully-ambidextrous lower receiver controls include bolt catch and release, magazine release, and safety selector
- LWRCI™ Advanced Trigger Guard is oversized to allow for easy operation with gloves
- Geissele® SSA-E 2-Stage Precision Trigger
- LWRCI™ Skirmish™ Back Up Iron Sights
- LWRCI™ Ultra Static Brake - Enhanced 4 Port Muzzle
- Magpul® MOE+ Grip
- Barrel Options:  
Proof Research Stainless Steel Barrel | Standard Models  
Proof Research Carbon Fiber Barrel | Elite Series
- Charging Options:  
LWRCI™ Non-Reciprocating Side Charge  
LWRCI™ Ambidextrous Rear Charge
- Magpul® 20 Round PMAG 6.5 Creedmoor

### AVAILABLE COLORS



2020 RIFLES

410.901.1348 | LWRCI.COM

45



# GENUINE PARTS AND ACCESSORIES

Make the best even better with LWRCI parts and accessories built to the same exacting standards as our rifles and carbines.

See our full range of ready-to-ship Genuine LWRCI parts, accessories and branded gear at [LWRCI.com](http://LWRCI.com)

VISIT THE ALL NEW LWRCI™ WEBSTORE AT [LWRCI.COM](http://LWRCI.COM)



**LWRCI™ SNAKE SKIN  
PISTOL GRIP**

The LWRCI™ Snake Skin Pistol Grip features a reinforced nylon substrate with rubber front and backstraps (textured with LWRCI's familiar snake-skin pattern) for maximum control, and contains secure storage for a sight tool and CR123 batteries.



**LWRCI™ ULTRABRAKE  
FLASH HIDER**

LWRCI's new Ultra-Brake muzzle brake is a step up from standard issue. Engineered to maximize performance the Ultra Brake has generous exhaust ports for optimal balance and reduced recoil keeping you on target. 5/8 x 24 threads are compatible with all 7.62/.308 REPR rifles as well as SIX8 series rifles.



**LWRCI™ ULTRA COMPACT  
CONVERSION KIT**



**LWRCI™ PDW STOCK KIT**



**LWRCI™ UPPER  
RECEIVERS**



**LWRCI™ LOGO PATCH SET**



**LWRCI™ COFFEE MUG**



2020 RIFLES





# PROTECT AND SERVE

LWRCI™ is proud to support and equip those who serve and protect us every day. Our rifles are designed and built to withstand the most extreme conditions for the operators who depend on their rifles. Because of their reliability and innovation, LWRCI™ firearms are a premier choice for LE departments, federal and state agencies, military units, and our international allies.

For LE/Military or Federal Government personnel requiring in-depth understanding of their firearms, LWRCI™ holds a 2-day Armorer's Course at our Cambridge, Maryland facility. We will equip you with the knowledge you need to properly maintain, diagnose, and repair your LWRCI™ firearm.

For domestic Law Enforcement, Military or Federal Government sales visit our website to locate the LE Distributor/Dealer in your area or email us at [lawenforcement@lwrci.com](mailto:lawenforcement@lwrci.com).







# IC-A5 SBR

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5"	LE	12.7"	LE	14.7"
	26.7cm	NFA	32.3cm	NFA	37.3cm
WEIGHT	6.5lbs		6.8lbs		7lbs
	2.9kg		3.1kg		3.2kg
LENGTH	26.5-29.8"		28.7-32"		30.7-34"
	67.3-75.6cm		72.9-81.3cm		78-86.4cm
CALIBER	5.56 NATO				

- FEATURES:
- LWRCI™ A5 2-Position Gas Block
  - MonoForge One-Piece Upper
  - Full Ambidextrous Lower Controls
  - LWRCI™ Skirmish BUIS
  - LWRCI™ Compact Adjustable Stock
  - LWRCI™ A2 Birdcage Flash Hider



# IC-PDW

PERSONAL DEFENSE WEAPON

SEE PG. 54 FOR COMPLETE SPECS

BARREL	8.5"	LE
	21.6cm	NFA
WEIGHT	5.9 lbs	
	2.7kg	
LENGTH	20.9-25.7"	
	53.1-65.3cm	
CALIBER	5.56 NATO	

- FEATURES:
- MonoForge One-Piece Upper
  - LWRCI™ PDW Adjustable Stock
  - LWRCI™ Rail Panels + Hand Stop
  - LWRCI™ High Efficiency Flash Hider
  - Full Ambidextrous Lower Controls
  - LWRCI™ Skirmish BUIS

HIGH PERFORMANCE  
SUB-COMPACT CARBINE



# 16.1"

SEE PG. 54 FOR COMPLETE SPECS

BARREL	16.1"	LE
	40.9cm	NFA
WEIGHT	6.7 lbs	
	3.3kg	
LENGTH	32.1-35.4"	
CALIBER	5.56 NATO	

- FEATURES:
- LWRCI™ Proprietary DI system with keyless gas block design
  - Full ambidextrous lower controls
  - LWRCI™ Rail Skins, Angled Hand Brace + Hand Stop
  - LWRCI™ Compact Adjustable Stock
  - LWRCI™ Skirmish BUIS



# 12.7"

SEE PG. 54 FOR COMPLETE SPECS

BARREL	12.7"	LE
	32.3cm	NFA
WEIGHT	6.3 lbs	
	2.85kg	
LENGTH	28.7 - 32.0"	
CALIBER	5.56 NATO	



# 10.5"

SEE PG. 54 FOR COMPLETE SPECS

BARREL	10.5"	LE
	26.7cm	NFA
WEIGHT	6.1 lbs	
	2.7kg	
LENGTH	26.5-29.8"	
CALIBER	5.56 NATO	

MLOK Rail Option on  
10.5", 12.7", and 14.7" models



VISIT [LWRCI.COM/LE](http://LWRCI.COM/LE) TO LEARN MORE ABOUT OUR FULL LINE OF FIREARMS FOR LE/GOVERNMENT/MILITARY

IC-DI Short Barrel Rifles are available to Law Enforcement and qualified customers who meet provisions of the National Firearms Act.



2020 RIFLES





# PRODUCT SPECIFICATIONS

## SMG 45



**SMG 45**  
pg. 6

BARREL LENGTH	CALIBER	GAS SYSTEM	O/A LENGTH	WEIGHT	GAS BLOCK	HEAVY-PROFILE 1 COLD HAMMER-FORGED BARREL SPECS	RAIL	MIL-SPEC BUFFER TUBE DIAMETER RECOIL SYSTEM	MUZZLE DEVICE	NOTES
8.5" 21.59cm	.45 ACP	N/A	15.25-28" 38.73-71.12cm	5.9 lbs 2.67kg	N/A	1:16 RH Twist 6 Lands/Grooves .578-28 Threads Chromoly Steel	7" Modular	Short Recoil Delayed Blowback	Thread Protector	LWRCI™ Reversible non-reciprocating folding charging handle, Magpul MBUS Pro Sights, Rail Panels + Hand Stop, USA made UMP magazines (2-25 RD)

## IC INDIVIDUAL CARBINE



**IC-A5**  
pg. 10



**IC-E**  
pg. 11



**IC-SPR**  
pg. 11



**IC-A2**  
pg. 13



**IC-PDW**  
pg. 14



**IC-PSD**  
pg. 14



**IC-PSD  
PISTOL**  
pg. 15



**IC-A5 PISTOL  
+ SBA3 BRACE**  
pg. 15

10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO	Carbine-Length, Piston Carbine-Length, Piston Mid-Length, Piston Mid-Length, Piston	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.5 lbs 2.9kg 6.8 lbs 3.1kg 7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ A5 Two-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted	9" Modular 9" Modular 12" Modular 12" Modular	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes: Magpul MOE+ Grip, Picatinny Rail Sections, QD Sling Mount, Magpul 30 RD 5.56 PMAG
14.7" 37.3cm 16.1" 40.9cm	5.56 NATO	Mid-Length, Piston Mid-Length, Piston	30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ A5 Two-Position w/ Bayonet Lug & 12 O'Clock Rail Section	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted	9" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit
14.7" 37.3cm 16.1" 40.9cm	5.56 NATO	Mid-Length, Piston Mid-Length, Piston	30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ One-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted	12" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit
10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO	Carbine-Length, Piston Carbine-Length, Piston Carbine-Length, Piston Carbine-Length, Piston	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.5 lbs 2.9kg 6.8 lbs 3.1kg 7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ One-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Smooth Heavy	9" Modular	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes (3) Polymer LWRCI™ Rail Skins™ & Mil-Spec Index Plate
8.5" 21.6cm	5.56 NATO	Sub-Carbine-Length, Piston	20.9-25.7" 53.1-65.3cm	5.9 lbs 2.7kg	LWRCI™ One-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Smooth Heavy	7" Modular	LWRCI™ PDW Carrier/Buffer/Stock System	LWRCI™ High Efficiency Flash Hider	Includes Magpul® MOE-K Grip, Polymer LWRCI™ Rail Panel/Hand Stop Kit, & Mil-Spec Index Plate
8.5" 21.6cm	5.56 NATO	Sub-Carbine-Length, Piston	24.5-27.8" 62.2-70.6cm	6.3 lbs 2.8kg	LWRCI™ One-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Smooth Heavy	7" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit
8.5" 21.6cm	5.56 NATO	Sub-Carbine-Length, Piston	21.25" 53.98cm	5.9 lbs 2.7kg	LWRCI™ One-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Smooth Heavy	7" Modular	Pistol Buffer Tube LWRCI™ UC2 Buffer Flat-Wire Spring	LWRCI™ High Efficiency Flash Hider	Includes (3) Polymer LWRCI™ Rail Skins™ & Mil-Spec Index Plate
10.5" 26.7cm	5.56 NATO	Carbine-Length, Piston	21.25" 53.98cm	6.3 lbs 2.85kg	LWRCI™ Two-Position	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Smooth Heavy	9" Modular	SBA3 Brace H2 Buffer	A2 Birdcage Flash Hider	Includes Picatinny Rail Sections, QD Sling Mount Kit, & Magpul® 30 RD 5.56 PMAG




## STANDARD SPECIFICATIONS











UNLESS OTHERWISE NOTED

- LWRCI™ Ambi Charging Handle
- LWRCI™ Enhanced Fire Control Group
- LWRCI™ Skirmish Sights
- LWRCI™ Ambi Selector w/ Short Right-Side Lever
- Magpul® MOE+ Grip or LWRCI™ SnakeSkin Pistol Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Index Plate w/ Ambi QD Sling Mounts
- LWRCI™ Enhanced Trigger Guard
- Magpul® PMAG in 30, 20, or 10 Rd based on model and jurisdiction
- California Compliant options available on all models

## AVAILABLE COLORS





IC-DI DIRECT IMPINGEMENT	BARREL LENGTH	CALIBER	GAS SYSTEM	LENGTH	WEIGHT	GAS BLOCK	HEAVY-PROFILE   COLD HAMMER-FORGED BARREL SPECS	RAIL	MIL-SPEC BUFFER TUBE DIAMETER RECOIL SYSTEM	MUZZLE DEVICE	NOTES
 <b>IC-DI STANDARD</b> pg. 20-24	10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO 5.56 NATO 5.56 NATO 5.56 NATO   300 BLK	Carbine-Length, DI Carbine-Length, DI Mid-Length, DI Mid-Length, DI	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.1 lbs 2.7kg 6.3 lbs 2.8kg 6.5 lbs 2.9kg 6.7 lbs 3.3kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted (No Fluting on 300 BLK Models)	9" Modular 9" Modular 12" Modular 12" Modular	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes LWRCI™ Angled Foregrip, Rail Panels and Hand Stop Set, and one Picatinny Rail Section.
 <b>IC-DI MLOK</b> pg. 20-22	10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO 5.56 NATO 5.56 NATO 5.56 NATO   300 BLK	Carbine-Length, DI Carbine-Length, DI Mid-Length, DI Mid-Length, DI	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.1 lbs 2.7kg 6.3 lbs 2.8kg 6.5 lbs 2.9kg 6.7 lbs 3.3kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted (No Fluting on 300 BLK Models)	9" MLOK 9" MLOK 12" MLOK 12" MLOK	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes LWRCI™ Enhanced Fire Control Group, Magpul® MOE+ Grip, M-LOK rail for customization– LWRCI™ rails not compatible
 <b>IC-DI COMPETITION</b> pg. 27	16.1" 40.9cm	5.56 NATO	Mid-Length, DI	36" 91.44cm	7 lbs 3.17kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted	14" M-LOK	MagPul® MOE Rifle Stock Rifle Buffer	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Timney 6675 Competition Straight Trigger and Short-Throw Selector
 <b>IC-DI 223 WYLDE</b> pg. 27	18.1" 45.97cm	.223 WYLDE	Rifle-Length, DI	38" 96.52cm	7.75 lbs 3.52kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted	14" M-LOK	MagPul® MOE Rifle Stock Rifle Buffer	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Geissele® SSA-E 2-Stage Trigger
 <b>IC-DI TAWA LADY DIADEM</b> pg. 26	16.1" 40.9cm	5.56 NATO	Carbine-Length, DI	32.1-35.4" 81.5-89.9cm	6.6 lbs 2.9kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads	9" Ultra-Slim Rail	MagPul® CTR Stock w/ QD Sling Mounts, H2 Buffer/6-Position Buffer Tube & Spring	LWRCI™ High Efficiency Flash Hider	Includes (3) Polymer LWRCI™ Rail Skins™, Angled Foregrip, Skirmish™ BUIS, Picatinny Rail Section, Mil-Spec Index Plate, Enhanced Buttpad
 <b>IC-DI PISTOL</b> pg. 24	10.5" 26.7cm	5.56 NATO	Sub-Carbine-Length Direct Impingement	24.5-27.8" 62.2-70.6cm	5.9 lbs 2.7kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads	7" Modular	Pistol Buffer Tube LWRCI™ UC2 Buffer Flat-Wire Spring	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit
 <b>IC-DI PISTOL +SBA3 BRACE</b> pg. 24	10.5" 26.7cm	5.56 NATO	Sub-Carbine-Length Direct Impingement	21.25" 53.98cm	5.9 lbs 2.7kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads	7" Modular	KAK Buffer Tube Carbine Buffer Spring H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes (3) Polymer LWRCI™ Rail Skins™ & Mil-Spec Index Plate, Available w/ SB Tactical SBA3 or SBM4 Pistol Brace.
 <b>VALKYRIE™</b> pg. 23	20.1" 51.05cm	FEDERAL 224 VALKYRIE™	Rifle +1-Length, Gas Impingement	40" 101.6cm	8.5 lbs 3.69kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads	16" M-LOK Free-Float	MagPul® MOE Rifle Stock Rifle Buffer	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes LWRCI™ Defense Fire Control Group, LWRCI™ SnakeSkin Pistol Grip
 <b>IC-DI GOVERNMENT</b> pg. 51	10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO 5.56 NATO 5.56 NATO 5.56 NATO   300 BLK	Carbine Length, DI Carbine Length, DI Mid-Length, DI Mid-Length, DI	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.1 lbs 2.7kg 6.3 lbs 2.8kg 6.5 lbs 2.9kg 6.7 lbs 3.3kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted (No fluting on 300 BLK Models)	9" Modular 9" Modular 12" Modular 12" Modular	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes LWRCI™ Angled Foregrip, Rail Panels and Hand Stop Set, and one Picatinny Rail Section. LWRCI™ Skirmish BUIS. Available in full auto.
 <b>IC-DI GOVERNMENT MLOK</b> pg. 51	10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	5.56 NATO 5.56 NATO 5.56 NATO 5.56 NATO   300 BLK	Carbine Length, DI Carbine Length, DI Mid-Length, DI Mid-Length, DI	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.1 lbs 2.7kg 6.3 lbs 2.8kg 6.5 lbs 2.9kg 6.7 lbs 3.3kg	LWRCI™ DI Gas Block	1:7 RH Twist 6 Lands/Grooves 1/2-28 Threads Spiral Fluted (No fluting on 300 BLK Models)	9" MLOK 9" MLOK 12" MLOK 12" MLOK	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes LWRCI™ Enhanced Fire Control Group, Magpul® MOE+ Grip, LWRCI™ Skirmish BUIS, M-LOK Rail for easy customization– LWRCI™ Rail panels not compatible with M-LOK rail.




## STANDARD SPECIFICATIONS








UNLESS OTHERWISE NOTED

- LWRCI™ Ambi Charging Handle
- LWRCI™ Enhanced Fire Control Group
- LWRCI™ Skirmish Sights
- LWRCI™ Ambi Selector w/ Short Right-Side Lever
- Magpul® MOE+ Grip or LWRCI™ SnakeSkin Pistol Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Index Plate w/ Ambi QD Sling Mounts
- LWRCI™ Enhanced Trigger Guard
- Magpul® PMAG in 30, 20, or 10 Rd based on model and jurisdiction
- California Compliant options available on all models

### AVAILABLE COLORS









SIX8 6.8 SPC	BARREL LENGTH	CALIBER	GAS SYSTEM	LENGTH	WEIGHT	GAS BLOCK	HEAVY-PROFILE   COLD HAMMER-FORGED BARREL SPECS	RAIL	MIL-SPEC BUFFER TUBE DIAMETER RECOIL SYSTEM	MUZZLE DEVICE	NOTES
 <div>SIX8-A5 pg. 32</div>	10.5" 26.7cm 12.7" 32.3cm 14.7" 37.3cm 16.1" 40.9cm	6.8 SPC II	Carbine-Length, Piston Carbine-Length, Piston Mid-Length, Piston Mid-Length, Piston	26.5-29.8" 67.3-75.6cm 28.7-32.0" 72.9-81.3cm 30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	6.5 lbs 2.9kg 6.8 lbs 3.1kg 7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ A5 Two-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads Spiral Fluted	9" Modular 9" Modular 12" Modular 12" Modular	LWRCI™ Compact Stock H2 Buffer	A2 Birdcage Flash Hider	Includes Picatinny Rail Section, QD Sling Mount Kit, & Ambi Rear Charging Handle
 <div>SIX8-SPR pg. 34</div>	14.7" 37.3cm 16.1" 40.9cm	6.8 SPC II	Mid-Length, Piston Mid-Length, Piston	30.7-34.0" 78.0-86.4cm 32.1-35.4" 81.5-89.9cm	7.0 lbs 3.2kg 7.3 lbs 3.3kg	LWRCI™ One-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads	12" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section, QD Sling Mount Kit, & Ambi Rear Charging Handle
 <div>SIX8-UCIW pg. 34</div>	8.5" 21.6cm	6.8 SPC II	Sub-Carbine-Length, Piston	24.5-27.8" 62.2-70.6cm	6.3 lbs 2.8kg	LWRCI™ One-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads	9" Quad or Modular	LWRCI™ Ultra-Compact Stock- UC2 Buffer Flat Wire Spring	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit or (3) LWRCI™ Rail Skins™ & Foregrip (Modular v. Quad Rails)
 <div>SIX8-PDW pg. 35</div>	8.5" 21.6cm	6.8 SPC II	Sub-Carbine-Length, Piston	24.5-27.8" 62.2-70.6cm	6.3 lbs 2.8kg	LWRCI™ One-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads	7" Modular	LWRCI™ PDW Carrier/Buffer/Stock System	LWRCI™ JS6 Flash Hider	Includes Magpul® MOE-K Grip, Polymer LWRCI™ Rail Panel/Hand Stop Kit, & Mil-Spec Index Plate
 <div>SIX8-PSD pg. 35</div>	8.5" 21.6cm	6.8 SPC II	Sub-Carbine-Length, Piston	24.5-27.8" 62.2-70.6cm	6.3 lbs 2.8kg	LWRCI™ One-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads	9" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit or (3) LWRCI™ Rail Skins™ & Foregrip (Modular v. Quad Rails)
 <div>SIX8-PSD PISTOL pg. 35</div>	8.5" 21.6cm	6.8 SPC II	Sub-Carbine-Length, Piston	21.25" 53.98cm	5.9 lbs 2.7kg	LWRCI™ One-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads	9" Quad or Modular	LWRCI™ Ultra-Compact Stock- UC2 Buffer Flat Wire Spring	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit or (3) LWRCI™ Rail Skins™ & Foregrip (Modular v. Quad Rails)
 <div>SIX8 RAZORBACK pg. 34</div>	14.7" 37.3cm	6.8 SPC II	Mid-Length, Piston	30.7-34.0" 78.0-86.4cm	7.0 lbs 3.2kg	LWRCI™ A5 Two-Position	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads Spiral Fluted	12" Modular	LWRCI™ Compact Stock H2 Buffer	LWRCI™ High Efficiency Flash Hider	Includes Picatinny Rail Section & QD Sling Mount Kit

REPR RAPID ENGAGEMENT PRECISION RIFLE


Available with non reciprocating side charge or rear charge options. Model # designated with SC= Side Charge Option

							BARREL SPECS				
 <div>REPR STANDARD pg. 40</div>	12.7" 32.3cm 16.1" 40.9cm 20" 26.7cm	7.62 NATO	REPR Carbine-Length Piston REPR Rifle-Length Piston REPR Rifle-Length Piston	34.1-38.6" 86.61-98.04cm 37.5-41" 95.25-104.14cm 40.5-41.5" 102.87-105.41cm	8.0 lbs 3.63kg 8.75 lbs 3.9kg 10.75 lbs 4.87kg	LWRCI™ 20-Position Tunable	1:10 RH Twist 6 Lands/Grooves 5/8-24 Threads Spiral Fluted PR Steel (20")	9" Modular 11" Modular 11" Modular	Magpul® UBR Stock Magpul® UBR Stock Magpul® PRS Stock	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Picatinny Rail Section/QD Sling Mount Kit & Geissele® SSA-E Trigger. Side or Rear Charge options.
 <div>REPR ELITE PROOF RESEARCH pg. 42</div>	16.1" 40.9cm 20" 26.7cm	7.62 NATO	REPR Rifle-Length Piston REPR Rifle-Length Piston	37.5-41" 95.25-104.14cm 40.5-41.5" 102.87-105.41cm	7.5 lbs 3.4kg 9.2 lbs 4.17kg	LWRCI™ 20-Position Tunable	1:10 RH Twist Proof Research Match-Grade Carbon Fiber 5/8x24 Threads	11" Modular 11" Modular	Magpul® UBR Stock Magpul® PRS Stock	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Picatinny Rail Section/QD Sling Mount Kit & Geissele® SSA-E Trigger. Side or rear charge options.
 <div>REPR 6.5CM STANDARD pg. 44</div>	22" 55.88cm	6.5 CREEDMOOR	REPR Rifle-Length Piston	43.5" 110.49cm	11.8 lbs 5.35kg	LWRCI™ 20-Position Tunable	1:8 RH Twist 6 Lands/Grooves Proof Research 5/8-24 Threads PR Stainless Steel	11" Modular	Magpul® PRS Stock	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Picatinny Rail Section/QD Sling Mount Kit & Geissele® SSA-E Trigger. Side or Rear charge models available.
 <div>REPR 6.5CM ELITE PROOF RESEARCH pg. 44</div>	22" 55.88cm	6.5 CREEDMOOR	REPR Rifle-Length Piston	43.5" 110.49cm	10.5 lbs 4.76kg	LWRCI™ 20-Position Tunable	1:8 RH Twist Proof Research Match-Grade Carbon Fiber 5/8x24 Threads	11" Modular	Magpul® PRS Stock	LWRCI™ Ultra Brake™ 4-Port Enhanced	Includes Picatinny Rail Section/QD Sling Mount Kit & Geissele® SSA-E Trigger. Side or Rear charge models available.

STANDARD SPECIFICATIONS

- UNLESS OTHERWISE NOTED
- LWRCI™ Ambi Charging Handle
- LWRCI™ Enhanced Fire Control Group
- LWRCI™ Skirmish Sights
- LWRCI™ Ambi Selector w/ Short Right-Side Lever
- Magpul® MOE+ Grip or LWRCI™ SnakeSkin Pistol Grip with secure storage for sight tool and CR123 battery
- LWRCI™ Index Plate w/ Ambi QD Sling Mounts
- LWRCI™ Enhanced Trigger Guard
- Magpul® PMAG in 30, 20, or 10 Rd based on model and jurisdiction
- California Compliant options available on all models

AVAILABLE COLORS





# CONNECT WITH US



**THERE'S AN ENTIRE LWRCI™ ONLINE COMMUNITY ON  
FACEBOOK, TWITTER, INSTAGRAM, AND OUR LWRCI™ FORUM.**

Log in today for the latest news, new product information, and everything else you need to STEP UP your game.



## WARRANTY

### SCOPE OF WARRANTY

LWRCI™ products are warranted to be free from defective materials and workmanship for the life of the original purchaser. LWRCI™ obligation under this warranty shall be limited to (1) repairing or (2) replacing any product which, upon inspection at LWRCI™ and based on its discretion, is found to be defective in material or in workmanship. This warranty is limited and does not extend to: careless handling, abuse and misuse, unauthorized adjustments or modifications, use of improper ammunition, excessive or unreasonable use, ordinary wear & tear, rust or corrosion, and barrel obstruction. Repairs are warranted for the duration of the original warranty and applies only to factory built products.

### EXCLUSIVE REMEDY

The remedies in this section and in the warranty agreement constitute the sole and exclusive remedies of any authorized customer, as well as its successors and assigns, for any defect in the product.

### DISCLAIMER

The warranty stated in this agreement is the sole and exclusive warranty pertaining to the product. LWRCI™ disclaims any warranty, express or implied, including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall LWRCI™, LLC be responsible for any indirect, incidental, or consequential damages including, without limitations, lost profits and costs of delay, with respect to economic loss or injury to property or to third parties, whether as a result of breach of express or implied warranty, negligence or otherwise. Prior to returning any LWRCI™ product for warranty work, you must receive return material authorization (RMA) from our customer service department. The contact information is shown below. Items must be returned prepaid to the address shown below. LWRCI™, LLC accepts no responsibility for items lost or damaged in shipping. Items that are returned and found to be out-of-warranty will be repaired at the customer's expense; however, no work will be performed without the customer's written authorization.

LWRC International, LLC | Cambridge, Maryland  
410.901.1348 | 410.228.1775 Fax | lwrci.com

### NFA POLICY

LWRCI™ will sell NFA items to qualified customers only when all provisions of the National Firearms Act are met, and there are no Local or State Regulations preventing such sale. LWRCI™ does not give legal advice, and is not responsible to determine your eligibility to own or possess an NFA item. All NFA rules apply.

### EXPORT CONTROL

User acknowledges that any technical data furnished by LWRCI™ in connection with any order may be subject to U.S. export control laws, including but not limited to the Arms Export Control Act, 22 USC 2778, (AECA) and the International Traffic in Arms Regulations, 22 CFR 120-130, (ITAR) promulgated pursuant thereto. In this regard, User agrees that, unless it has obtained prior written consent from the U.S. Department of State, Directorate of Defense Trade Control (DDTC), they will not export, reexport, or transship, directly or indirectly, the goods, documentation, technical assistance, or any media in which any of the foregoing is contained, or other technology provided hereunder or the direct product thereof, to any country or to any non-U.S. citizen.

ALL NFA ITEMS AND GCA rules and laws apply to any purchase of LWRCI™ firearms. Please check local, state, and federal laws.

PLEASE NOTE: Rifles may be shown in deluxe configurations and/or with optional accessories. Configurations may change without prior notice.



2020 RIFLES

410.901.1348 | LWRCI.COM

59





LWRCI.COM | 410.901.1348



COPYRIGHT LWRCI 2020

