

BALLISTIC SHIELDS
AND ACCESSORIES



BALLISTIC SHIELDS



TYR Tactical® Ballistic Shield Dolly (Patented)
TYR-RBS/BSD2



TYR Tactical® Ballistic Shield Dolly (Patented)
TYR-RBS/BSD2

Qty.1 TYR Tactical® 24"x36" Rapid Response Ballistic Shield
TYR-RBS/MT3-NV

AND ACCESSORIES

TYR Tactical® Ballistic Shield Kit

Qty.2 TYR Tactical® 24"x36" Rapid Response Ballistic Shield

TYR-RBS/MT3-NV

FEATURES & SPECIFICATIONS:

- NIJ 0108.01 Level 3 Compliant – 7.62 x 51 mm, 149 gr, FMJ NATO Ball (M80 Ball)
- Forearm Pad
- Carry Bag
- Fixed Handle
- Special Threats: 7.62 x 39 MSC 123 gr

Qty.1 TYR Tactical® Ballistic Shield Dolly (Patented)

TYR-RBS/BSD2

FEATURES & SPECIFICATIONS:

- Constructed out of high-strength, lightweight aluminum
- Telescoping frame to accommodate up to two shields
- Three removable heavy duty wheels
- Two Wheel Configuration
Wt. 28.7 lbs.
- Three Wheel Configuration
Wt. 37 lbs.

Patented



PERFORMANCE & PURPOSE MEETS UNMATCHED PROTECTION




FIGURE A



FIGURE B

The **TYR Tactical® Ballistic Shield Dolly** provides both load carriage and unmatched ballistic protection. The center armor panel covers the ballistic gap on both sides of the Dolly. Bolt holes on the armor panel are offset from the ballistic gap to reduce the possibility of penetration.

OPTIONAL SET-UP:

- **SINGLE SHIELD (FIGURE A):** Provides a ballistic barricade in the tilt forward position. It also functions as a load carriage dolly for Broco Q2 Cylinders as well as mission specific MOLLE panels (Sold Separately).
- **DOUBLE SHIELD (FIGURE B):** Running this configuration, with the two wheel option, gives the user a load carriage dolly and standing, ballistic barricade with 360° movement. Two handle heights allow the user to push the dolly in their desired location. When in a fixed position, the user can run hands-free by simply tilting the TYR-RBS/BSD2 forward.

FEATURES & SPECIFICATIONS:

Constructed out of high-strength, lightweight aluminum

- Telescoping frame to accommodate up to two shields (FIGURE C)
- Removable rear wheel (FIGURE D)
- Two wheel configuration allows for 360° movement.
- Dolly is self-supported in the two wheel configuration by resting on the lower shield
- Center armor panel reinforces the connection area where the upper and lower shields meet.
- Telescoping, pull pin, shield handle bracket for multiple shield sizes
- Two rubberized dolly handles
- Padded shield rest
- Three removable heavy duty wheels
- Matte black powder coat finish
- Two Wheel Configuration Wt. 28.7 lbs.
- Three Wheel Configuration Wt. 37 lbs.

TYR-RBS/BSD2




FIGURE C




FIGURE D



TYR Tactical® 18"x33" Rapid Response CQB Ballistic Shield
TYR-RBS/CQB3-NV


FEATURES & SPECIFICATIONS:

- Weight: 14.9 lbs.
- NIJ 0108.01 Level 3 Compliant — 7.62 x 51 mm, 149 gr, FMJ NATO Ball (M80 Ball)
- Forearm Pad
- Carry Bag
- Fixed Handle
- Special Threats: 7.62 x 39 MSC 123 gr



TYR Tactical® 24"x36" Rapid Response Ballistic Shield
TYR-RBS/MT3-NV

- Weight: 20.8 lbs.
- NIJ 0108.01 Level 3 Compliant – 7.62 x 51 mm, 149 gr, FMJ NATO Ball (M80 Ball)
- Forearm Pad
- Carry Bag
- Fixed Handle
- Special Threats: 7.62 x 39 MSC 123 gr



TYR Tactical® Multi-hit Level 4 Shield Applique
TYR-RBS/B4C-APP-LVL4

FEATURES & SPECIFICATIONS:

- Weight: 21 lbs.
- Thickness: .425"
- NIJ 0108.01 tested to Level 4 threats 7.62 x 63 166 gr (APM2)
- Special Threat Testing:
 - 7.62 x 39 API
 - 7.62 x 63 AP M2
 - 7.62 x 54R B32



Patent Pending

Mission Specific
MOLLE Panels



ADDITIONAL ACCESSORIES:

- All-Terrain Wheels
- Wheel Locking Mechanism
- Medical Litter Configuration
- Heavy Load Carriage Configuration
- Dolly Backpack Shoulder Straps



MT4 Shield Training Cover with Ballistic Vein®

TYR TACTICAL® HEADQUARTERS
9330 N 91ST AVE., PEORIA, ARIZONA 85345
PHONE: 623-240-1400
EMAIL: INFO@TYRTACTICAL.COM
WWW.TYRTACTICAL.COM



PROUDLY 100% AMERICAN MADE